




Blackhawk Custom Series

Heavy Duty Trailers



Blackhawk Custom FEATURES

- **Folding Gooseneck Trailers** are available from 35 to 50 tons. 2, 3 and 4 axle configurations
- **Fixed Gooseneck Trailers** are available from 35 to 50 tons. Full width Apitong Decking
- **Hydraulic Folding Tail Trailers** available in 3 ton and 50 ton, with 2 or 3 axles. Outside hydraulic controls for easy operation
- **Rear Loading Paver Special Trailers** have full width gooseneck with 3 to 1 slope. Accommodates most rollers



Folding Gooseneck Trailers.

- Gooseneck lowers to form loading ramp. • Hydraulic or winch operated.
- Standard or special designs available from 35 to 50 tons. 2, 3 and 4 axle configurations.
- Stable loading and unloading. • Apitong decking and 100,000 PSI steel construction.




Fixed Gooseneck Trailers.

Standard models available in capacities from 35 to 50 tons. Custom built models up to 100 tons. • Full width Apitong Decking • Concentrated load in 16'

Hydraulic Folding Tail Trailers.

- Available in 35 ton and 50 ton capacities with 2 or 3 axles.
- Outside hydraulic controls for easy operation
- Full width gooseneck
- Load carrying rear ramp for loading from ground or dock



Rear Loading Paver Special Trailers.

Specially designed for moving rollers and pavers.

- Fast and easy hydraulic bi-fold ramps.
- Carry roller, paver and broom in one trip. • Low rear ramp climb angle.
- Full width gooseneck with 3 to 1 slope accommodates most rollers.



Spread Axle Configurations.

Specially designed trailers available in various axle combinations. Custom built models up to 100 tons.



Special Configurations.

Specially designed trailers up to 100 tons.



Mechanical Removable Gooseneck Trailers.


Lightweight mechanical detachable gooseneck when empty weight is critical.

- Shot blast finish with epoxy primer and two part urethane paint. Standard colors black, red or yellow. Custom colors available.



Due to printing restrictions colors shown are representative only.

Engineered for performance...



BOTH SIDES

Built for strength and dependability.

Hydraulic Removable Gooseneck Trailers

Standard models available in capacities from 35 to 60 tons.

Custom built models up to 100 tons.

Call us with your equipment moving needs.



East Coast
suspensions.
Close coupled.
3 + 1 and
3 + 2 (shown)

Rigid East Coast
Stinger
with Flips

Reinforced outer
beams.

West Coast Pivoting
Rear Sections
up to 3 + 3


Integrated
West Coast
Stingers

Truck-Lite® L.E.D.
sealed lighting system.

Air Ride®
suspension

Optional Aluminum
wheels shown

Optional equipment shown



RTN60TD3-R4 with
Gooseneck Extension



RTN85TD3-R4/5/6A-RAWC
85 ton Light Weight



RTN55TD3-R4A
Hydraulic Booster Axle and Deck Extension





RTNB55TD3-R4A
Beam Deck with
4th Axle Flip



RTN55ETD3-R4A
Drop Deck with
4th Axle Flip



Setting the standard since 1898




450,000 square foot facility located on 108 acres in rural Ogle County, Illinois



Designed and engineered using 3D modeling and comprehensive stress analysis software.



Precision laser cutting technology.



Programable robotic welding ensures quality fabrication.

Distributed by:

 **Etnyre**
INTERNATIONAL

1333 S. Daysville Road, Oregon, Ill 61061
Phone 1-815-732-2116, Fax 815-732-7400,
www.etnyre.com, email: sales@etnyre.com
ISO 9001:2000 certified

E. D. Etnyre & Co., whose policy is one of continuous improvement, reserves the right to change specifications without notice. Photos and illustrations contain standard and optional equipment.

L-HDT-13

Updated February 1, 2024